: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Tuesday, 4/4/2006 1:27:35 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 26499

Estimate Number

: 10534

P.O. Number

First Issue

:NA

: 4/4/2006 This Issue Prsht Rev.

: NC

: NIA : 26363

S.O. No. : NA

: MACHINED PARTS

Part Number Drawing Number

Drawing Name

: D2574 : D2574 REV E : N/A

Project Number Drawing Revision

Material

: 4/28/2006

Due Date

Qty:

8 Um:

Each

Written By

Previous Run

Checked & Approved By Comment

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

D6101005 1.0

7075-T7351 8.25X5.0X2.5

8.0000 Each(s)



Comment: Qty.:

1.0000 Each(s)/Unit

Total: 7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2574 Ensure that grain is along 5.00" length

Batch No: 324869

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. B2U495 Double check by: J.L.

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per

Folio FA051 and inspect per attached Dimension Sheets

- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks
- 5-Tumble to remove sharp edges.

06/05/06

3.0

MILLING CONV

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE Machine keyway as per dwg D2573 & D2574

06/05/06

8

4.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE

8

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Page 1

Form: rprocess

Dart Ae	rospace	Ltd						v-	
W/O:			٧	VORK ORDER CHANGE	S				
DATE	STEP	PRO	PROCEDURE CHANGE			Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		14)							
				4					
			÷			٠,		·	٠,
	:	PAR #:		tegory:	QA: N	/C Closed		Date: _ €	
NCR:					·	· <i>1</i>			
DATE	STEP	Description of NC Section A	. Initial Chief Eng	Corrective Action Section Action Description Chief Eng	Sign & Date	Verific Section		Approval Chief Eng	Approval QC Inspector

NOTE: Date & initial all entries

Date: Tuesday, 4/4/2006 1:27:35 PM Kim Johnston User: **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 26499 Part Number: D2574 Job Number: Seq. #: **Machine Or Operation:** Description: SECOND CHECK QC8 5.0 06/05/09 Comment: SECOND CHECK 8 HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:_ 10.0 DC DOCUMENT CONTROL Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion 1

Dart Aerospace Ltd

W/O:				WORK ORDEI	RCHANGES					121
DATE	STEP		PROCE	EDURE CHANGE	·	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
4	*									
		· •	1							
,					4					
Part No	:		PAR #:	Fault Category:	NCI	R: Yes	No DQ	A :	_ Date: _	
			۲	•		QA: N	N/C Close	d:	Date:	

NCR:			WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B		Verification	Approval	A					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector					
	-	•					-						
		•					Take 1						
			· 	,	·								
•			,										
		•											
				`									

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	26499
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

Recorded Actual Dimensions									
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.438	0.438	0.438	0.4>8		
В	1.745	1.755		1,444	1.746	1.747	1.747.		
С	3.495	3.505		3500	3-498	3.497	3.496		
D	1.745	1.755		1.747	12747	1,747	1.747		
Е	7.990,	8.010		8.007	8.005	8.004	8,000		
F	0.490	0.510	·	8.500	0.501	0.500	0,501		
G	0.257	0.262	DT8683	0.257	0.254	0.257	2257		
Н	0.375	0.380	DT8684	0.375	0.375	0.375	0.375		-17
1	0.490	0.510		0.496	0-497	0-498	0,497		
J	1.174	1.184		1176	1.176	1-178	1.177		
K	0.558	0.578		0566	0.566	0.567	0-368		
L	1.174	1.184		1.176	1-176	1.176	1-177		
М	1.365	1.375		1.366	1.365	1.366	1.367		
N	2.495	2.505		2.496	2-497	2.497	D-498		
0	4.119	4.129		4.123	4.121	4.120	4.121		
Р	0.115	0.135		8.118	0.119	0-118	0-119		
Q	0.115	0.135		0.135	5.135	0.135	0./35		
R	0.240	0.260		0.240	6.249	0.347	0-248		
S	0.115	0.135		0.121	0.122	0.121	0-139		
T	0.178	0.198		6.189	4./88	0-188	0188		
U	3.210	3.250		3. 230	3-231	3-231	ra. 2. 23)	
V	0.230	0.250		0.240	0-242	0.241	0.242		
W	0.115	0.135		0.126	0.127	0.127	0.128		
Χ	0.307	0.312		0.308	0-309	0,309	0-310		
Υ	0.760	0.765		6.765	0-765	0.765	0.367		
Z	0.352	0.372		0.370	0.369	0.368	0.3E7		
AA	0.470	0.530		0500	0-500	٥-(تان	0.500		
AB	0.615	0.635		0.622	0.635	0.633	0.629		
AC	0.053	0.073		0.063	6 063	6-063	0.063		,
AD	0.240	0.260		0.244	0-244	0.241	0-240		
AE	1.500	1.520	·	1,507	1.515	1.514	1-513		
AF	0.115	0.135	-8-	0.135	0./35	0./35	6135		
AG	0.240	0.280		0.260	0.260	0.560	0.260		. 100
AH	0.240	0.260		0.248	0.249	0.248	0-247		
Al	2.000	2.020		WA	NIA	NA	NA		
AJ	0.023	0.043		0.039	0.030	0.030	0.039		
	Acc	ept/Reje	ct						

Measured by: という。	Audited by	The
Date: 06/05/06	Date:	06/05/09

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	- 1
Е	05.12.05	Added dimension AJ	KJ/JLM 🚓	Gill



DART AEROSPACE LTD	Work Order: 26	499
Description: Saddle, Aft Inboard	Part Number: D2	574
Inspection Dwg: D2574 Rev. E	Page	1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.440	0.440	0.440	0 -440		
В	1.745	1.755		1-747	1.747	1.747	1-746		
С	3.495	3.505		3-498	3-498	3.447	3.496		
D	1.745	1.755		1-747	1-747	1.747	1-746		
Ε	7.990	8.010		8.004	8-003	80008	8.004		
F	0.490	0.510	1.2	0.500	0.501	0.503	0.501		
G	0.257	0.262	DT8683	0.358	0.258	0: 25B	0.258		
Н	0.375	0.380	DT8684	0.376	0.376	0.376	0.376		
1	0.490	0.510		0.4998	0.498	0.499	0-498	4	
J	1.174	1.184		1.177	1.177	1-177	1-177		
K	0.558	0.578		0.568	0-568	0.569	0 - 568		
L	1.174	1.184		1.177	しいファ	4.177	1.176		
M	1.365	1.375		1.369	1-367	1,369	1.367		
N	2.495	2.505		2.498	9-498	2.498	2.500		
0	4.119	4.129		4,120	9,121	4-120	4-119		
Р	0.115	0.135		0-130	0.122	0-121	0.124		
Q	0.115	0.135		0-131	0.129	0-129	0-130		
R	0.240	0.260		0.358	0-258	0.258	0.247		
S	0.115	0.135		0.119	0,118	0.119	0.120		
T	0.178	0.198		0-188	Ø . , 88	0-188	0-188		
U	3.210	3.250		3.331	0 . 188 3 . 331 0 - 331	3-230	3-231		
V	0.230	0.250		0.233	0-231	0-232	0.234		
W	0.115	0.135		10.124	00174	0-124	0-124		7
Χ	0.307	0.312		0.311	0-311	0-312	0.317		
Υ	0.760		6.	0.761	0-761	0.312	0.312		
Z	0.352	0.372		0.362	0.363	0.364	0.364		
AA	0.470	0.530	. ,	6.500	0-506	0 - 500	0.800		
AB	0.615	0.635		0.627	0-629	0-630	0-627		
AC	0.053	0.073		0.063	0-063	0.063	0-063		
AD	0.240	0.260		0.245	0.346	0.247	0-246		
AE	1.500	1.520		1-514	1.513	1-514	1.513		
AF	0.115	0.135		0.136	0-131	0,132	0 - 133		(4)
AG	0.240	0.280		0-260	0.249	0-248	0.347		
АН	0.240	0.260		0.244	0-244	0.243	0.244		
ΑI	2.000	2.020		N/A	NIA	N/A	N/A		
AJ	0.023	0.043		0-033	0.033	0.033	0.033		
	Acc	ept/Reje	ct						

Measured by: 3.6	Audited by	52
Date: 06105107	Date:	06/05/09

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	911

